EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(*6,654,784*).PN.	US-PCPUB; USPAT	OR	OFF	2008/05/21 15:19
I.2	1	(*6,886,169*).PN.	US-PCPUB; USPAT	0R	OFF	2008/05/21 15:20
L3	11	nexameb	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:33
L4	40	adaptive with (gui graphical adj3 interface) with (device screen)	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:48
L5	8831	(709/203).CCLS.	US-PCPUB; USPAT	OR	0FF	2008/05/21 15:49
L6	5219	(709/219).CCLS.	US-PCPUB; USPAT	OR	0FF	2008/05/21 15:49
L7	0	(715/513) .CCLS.	US-PCPUB; USPAT	OR	OFF	2008/05/21 15:49
L8	638	(719/316) .CCLS.	US-PCPUB; USPAT	OR	OFF	2008/05/21 15:49
L9	39	(exten\$4 replac\$3 overwrit\$3) same (awt swing gui near2 api jtc) and java and thread with event	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:49
L10	39	(over adj rid\$3 over \$rid\$4) same (awt swing gui near2 api jtc jfc) and java	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:49
L11	32	(over adj rid\$3 over \$rid\$4) same (awt swing gui near2 api jtc jfc) and java and thread	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:49
L12	38	(over adj rid\$3 over \$rid\$4) same (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49

L13	18	deploy\$4 near2 (many nultiple plurality) with (ejb bean)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L14	5	deploy\$4 near2 (many multiple plurality) with bean	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L15	105	exten\$4 with (awt swing gui near2 api jtc) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L16	601	over\$load\$3 with (awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L17	2	over\$load\$3 with (awt swing gui near2 api) and (graphical adj user gui)	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:49
L18	9	over\$writ\$3 with (awt swing gui near2 api)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
119	9	overSwritS3 with (jtc awt swing gui near2 api)	US-PGPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 15:49
L20	16	re\$implement\$3 with (awt swing gui)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L21	5	re\$implement\$3 with (awt swing gui) and thread\$3	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L22	87	replac\$3 same (awt swing gui near2 api jtc) and java	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBN_TDB	OR	ON	2008/05/21 15:49

L23	16	replac\$3 same (awt swing gui near2 api jtc) and java and thread with event	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L24	32	replac\$3 with (awt swing gui near2 api jtc) and java	US-PGPUB; USPAT; USOCR: EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L25	32	replac\$3 with (awt swing gui near2 api) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
L26	2	replac\$3 with (gui near2 api standard near2 graphical) and java	US-PGPUB; USPAT: USOCR; EPO; DERWENT: IBM_TDB	OR	ON	2008/05/21 15:49
L27	30	replace with (awt swing gui near2 api) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:49
Ē.28	27	[05.20003002545 or US-20003007054, or US-20003007054, or US-2000300705, or US-2000300705, or US-2000300705, or US-2000300705, or US-2000305,	US-POPUR; USPAT	GR	ON	2008/05/21 15:50

L29	10	adaptive with (gui graphical adj3 interface) with (profile capability)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 15:59
L30	1	(*6963937*).URPN.	USPAT	OR	ON	2008/05/21 16:01
L31	326	adaptive near2 (gui graphical adj3 interface ui user adj interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/21 16:02
L32	73	adaptive near2 (gui graphical adj3 interface ui user adj interface) with (device screen profile capability)	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:02
L33	1	adaptive near2 (gui graphical adj3 interface ui user adj interface) with (device screen profile capability) and (awt swing gui near2 api jtc jfc java adj foundation)	US-PĞPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:06
L34	16	adaptive near2 (gui graphical adj3 interface ui user adj interface) with (device screen profile capability) and (java awt swing gui near2 api jtc jfc java adj foundation)	US-PCPUB; USPAT; USOCR; EPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:06
L35	1	(*6963937*).URPN.	USPAT	OR	ON	2008/05/21 16:08
L36	11	(network\$aware network adj aware) near3 (gui user adj interface ui)	US-PCPUB; USPAT; USOCR; EPPS; EPO; JPO; DERMENT; IBN_TDB	OR	ON	2008/05/21 16:09

L37	3840	(dynamic\$4) near3 (gui user adj interface ui)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2008/05/21 16:11
L38	2959	(dynamic\$4) near2 (gui user adj interface ui)	US-PGPUB; USPAT: USOCR; FPBS; EPO; JPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:11
L39	2351	(dynamic\$4) near2 (gui user adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:12
L40	134	(dynamic\$4) near2 (gui user adj interface) with (device screen profile capability) and (java awt swing gui near2 api jtc jfc java adj foundation)	US-PCPUB; USPAT; USOCR; EPPRS; EPO; JPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:12
L41	37	40 and @ad < "20001219"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERMENT; IBM_TDB	OR	ON	2008/05/21 16:14
L42	1	(*6622160*).PN.	US-PGPUB; USPAT	OR	OFF	2008/05/21 16:36
L43	81	(dynamic\$4) near2 (gui user adj interface) same java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2008/05/21 17:00

L44	17	43 and @ad < *20001219*	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERMENT; IBM_TDB	OR	2008/05/21 17:01
L45	0	(*7380005*).PN.	US-PCPUB; USPAT	OR	2008/05/21 17:10

5/21/08 5:24:52 PM C:\Bocuments and Settings\LZben\My Documents\EAST\workspaces\10017183B.wsp